Trop. Sci. 1987, **27**, 287–288

Author Index

AHARONI Y., NITZAN Y. and COPEL A. Natural volatiles to control the California red scale on harvested grapefruit, 115
AHMED A-H. *see* NOUR A.A.A.M.
AKORODA M.O. Incorporating tuber peels in white yam flour, 239
ALI A.O. *see* NOUR A.A.A.M.
ASIEDU J.J. Physicochemical changes in plantain (*Musa paradisiaca*) during ripening and the effect of degree of ripeness on drying, 249

BARRETT J.C. and LEACH I.B. Review: Hide rehydration difficulties associated with adverse drying conditions, 135
BOOTH R.H. *see* RAMAN K.V. and WIERSEMA S.G.
BRAGG D. *see* NWOKOLO E.

CABELLO R. *see* WIERSEMA S.G.
CARDONA E. and THOMPSON P. Marketing margins and losses in Bolivia, 91
CHAND N., VERMA S. and ROHATGI P.K. Tensile, impact and moisture studies of sisal-polyester composites, 215
CHUN D. *see* RISSE L.A.
CLARKE P.A., WADSWORTH P.J., PARRY J.K. and QUASEM M.A. The effects of germination of paddy milled rice: an investigation in Bangladesh, 113
COPEL A. *see* AHARONI Y.

DADA L.O. and DENDY D.A.V. Preliminary study of the effect of various processing techniques on the cyanide contents of germinated sorghum, 101
DAVIS P.L. *see* GREANY P.D.
DEITZ H.M. and KING R.D. Characterization of rapeseed (*Brassica campestris*) from Nepal and evaluation of processing methods, 147
DELUCCA A.J. and ORY R.L. Review: Effects of microflora on the quality of stored rice, 205
DENDY D.A.V. *see* DADA L.O.
DICK K.M. Losses caused by insects to groundnuts stored in a warehouse in India, 65
DUBEY N.K. and KISHORE N. Fungitoxicity of some higher plants and synergistic activity of their essential oils, 23

EVANS N.J. *see* WOOD C.D.

FATIMA R. and QADRI R.B. Studies on the preparation of fish silage, 1
FELLOWS P. Village-scale leaf fractionation in Ghana, 77

GOUGH M.C., UISO C.B.S. and STIGTER C. J. Convection currents in bulk grain, 29
GREANY P.D. *see* MCDONALD R.E.
GREANY P.D., MCDONALD R.E., SHAW P.E., SCHROEDER W.J., HOWARD D.F., HATTON T.T., DAVIS P.L. and RASMUSSEN G.K. Use of gibberellic acid to reduce grapefruit susceptibility to attack by the Caribbean fruit fly *Anastrepha suspensa* (Diptera: Tephritidae), 261

HATTON T.T. *see* GREANY P.D. and MCDONALD R.E.
HICKS J.R. *see* SALAMA A.M.
HORITA H. *see* OWUOR P.O.
HOWARD D.F. *see* GREANY P.D.

KING R.D. *see* DEITZ H.M.
KISHORE N. *see* DUBEY N.K.

LEACH I.B. *see* BARRETT J.C.

MCDONALD R.E., SHAW P.E., GREANY P.D., HATTON T.T. and WILSON C.W. Effect of gibberellic acid on certain physical and chemical properties of grapefruit, 17
MCDONALD R.E. *see* GREANY P.D.
MILLER W.R. *see* RISSE L.A.
MOZIE O. Sugars in dormant and sprouting white yam (*Dioscorea rotundata* Poir.) tubers in storage, 9
MOZIE O. The effect of 2,4-D and other plant growth regulators on sprout formation in *Dioscorea rotundata* Poir. (white yams) in storage, 229
MURAI T. *see* OWUOR P.O.

NITZAN Y. *see* AHARONI Y.
NOUR A.A.A.M., ALI A.O. and AHMED A.-H. A chemical study of Zizyphus spina-christi (Nabag) fruits grown in Sudan, 271
NWOKOLO E. Nutritional quality of the seeds of the African breadfruit (*Treculia africana*, Decne), 39
NWOKOLO E., BRAGG D. and SIM J. Nutritional assessment of rubber seed meal with broiler chicks, 195

ORY R.L. *see* DELUCCA A. J. and ORY R.L.
OTHIENO C.O. *see* REEVES S.G.
OWUOR P.O. see REEVES S.G.

OWUOR P.O., TSUSHIDA T., HORITA H. and MURAI T. Effects of artificial withering on the chemical composition and quality of black tea, 159

PALACIOS M. *see* RAMAN K.V.
PARRY J.K. *see* CLARKE P.A.

QADRI R.B. *see* FATIMA R. and RIAZ M.
QUASEM M.A. *see* CLARKE P.A.

RAMAN K.V., BOOTH R.H. and PALACIOS M. Control of potato tuber moth *Phthorimaea operculella* (Zeller) in rustic potato stores, 175
RASMUSSEN G.K. *see* GREANY P.D.
REEVES S.G., OWOUR P.O. and OTHIENO C.O. Review: Biochemistry of black tea manufacture in Kenya, 121
RIAZ M. and QADRI R.B. Time temperature tolerance of frozen shrimps. 1. High quality life and acceptability time of frozen glazed shrimps, 167
RISSE L.A., CHUN D. and MILLER W.R. Chilling injury and decay of film-wrapped conditioned Bell peppers during cold storage, 85
ROHATGI P.K. *see* CHAND N.

SALAMA A.M. and HICKS J.R. Respiration and fresh weight of onion bulbs as affected by storage temperature, humidity and maleic hydrazide, 233
SCHROEDER W.J. *see* GREANY P.D.
SHAW P.E. *see* GREANY P.D. and MCDONALD R.E.
SIM J. *see* NWOKOLO E.
STIGTER C.J. *see* GOUGH M.C.

THOMPSON P. *see* CARDONA E. and THOMPSON P.
TSUSHIDA T. *see* OWUOR P.O.

UISO C.B.S. *see* GOUGH M.C.

VERMA S. *see* CHAND N.

WADSWORTH J.I. Variation in rice associated with kernel thickness. II Physical and physicochemical properties, 49

WADSWORTH P.J. *see* CLARKE P.A.
WALKER D.J. *see* WOOD C.D.
WIERSEMA S.G., CABELLO R. and BOOTH R.H. The effects of germination of paddy on milled rice: an investigation in Bangladesh, 113
WILSON C.W. *see* MCDONALD R.E.
WOOD C.D., EVANS N.J. and WALKER D.J. The effect of salt on the susceptibility of dried whiting to attack by dermestid beetles, 223

Trop. Sci. 1987, **27**, 289–291

Subject Index

2,4-D, effect on sprout formation, 229

Acetaldehyde, fumigation with, 155
African breadfruit, 39
Air convection, in bulk grain, 29
Alkali spreading, in rice, 49
Allelochemicals, 261
Amino acid
  in African breadfruit seeds, 39
  in rubber seed meal, 195
  in Zizyphus spina-christi, 271
Amylographic characteristics, of rice, 49
Anastrepha suspensa (Leow), 261
Aonidiella aurantii, 155
Ashes, in control of potato tuber moth, 175

Bacillus thuringiensis, 175
Bacteria, in stored rice, 205
Bangladesh, 113
Beetle infestation, of fish, 223
Bell peppers, 85
Biochemical change, in black tea, 121
Black tea, 121, 159
Bolivia, Marketing, 91
Brassica campestris, 147
Bulk grain, storage, 29

California red scale, 155
Cammelia sinensis, 159
Caryedon serratus, 65
Cattle hide, 135
Chemical composition, of black tea, 159

Chenopodium ambrosioides, 27
Chilling injury, to bell peppers, 85
Citrus paradisi Macf, 17, 155, 261

Collagen, in hides, 135
Colour, of bell peppers, 85
Composition, of rapeseed, 147
Composites, 215
Conditioning, of bell peppers, 85
Cyanide, in germinated sorghum, 101

Damage, to stored groundnuts, 65
Decay of bell peppers, 85
Dermestes frischii, 223
Dermestes maculatus, 223
Dhurrin, 101
Dioscorea rotundata, 9, 229
Drying
  of hides, 135
  of plantain, 249

Essential oils, of some higher plants, 23
Ethyl formate, as fumigant, 155

Fatty acids
  in African breadfruit seeds, 39
  in rubber seed meal, 195
  in Zizyphus spina-christi, 271
Field performance, of seed potatoes, 105
Film wrapping, of bell peppers, 85
Firmness, of bell peppers, 85
Fish, susceptibility to dermestid beetles, 223
Frozen glazed shrimp, 167
Fruits, in Bolivia, 91
Fruit fly, 261
Fruit senescence, 261
Fumigation, of grapefruit, 155
Fungitoxicity, of some higher plants, 23
Fungi, in stored rice, 205

Gelatinization, of rice, 49
Germinated sorghum, 101
Germination, of paddy, 113
Ghana, village-scale production in, 77
Gibberrellic acid, 261
Glycosaminoglycan, in hides, 135
Grapefruit, 17, 155, 261
Groundnuts, 65
Growth, of germinated sorghum, 101
Growth regulator, 261

High quality life, of frozen glazed shrimp, 167
Host plant resistance, 261
Hydrocyanic acid, in Sorghum, 101

Insects, in stored groundnuts, 65
Integrated control, of potato tuber moth, 175
Interfibrillar protein, in hides, 135

Jubilee fruit, 271

Kenya, 121, 159
Kernel thickness, of rice, 49
Kernel density, of rice, 49

Leaf protein, 77
Lipolytic enzymes, in stored rice, 205
Lippia alba, 23
Loss assessment, of stored groundnuts, 65
Losses, during germination of paddy, 113

Malt, 101
Marketing margins, in Bolivia, 91
Marketing losses, in Bolivia, 91
Metabolizable energy, of African breadfruit seeds, 39
Methyl formate, fumigation with, 155
Milling, of rice, 113
Mineral content
  of African breadfruit seeds, 39
  of rubber seed meal, 195

Neem, 175
Nepal, rapeseed 147
Nutritional value, of rubber seed meal, 195

Ocimum canum, 23
Oils, 176

Paddy, 113
Parboiling, of rice, 113
Pectinmethylesterase, 17
Peel firmness, of grapefruit, 17
Peel oil, of grapefruit, 17
Peru, 105, 175
Pest control, 175
Pesticides, 175
Phthorimaea operculella, 175
Physicochemical properties, of plantain, 249
Plantain (*Musa paradisiaca*), 249
Polyester resin, 215
Post-harvest losses, of potatoes, 175
Post-Harvest Booksheif, 275
Potatoes, 105, 175
Potato tuber moth, 175
Processing, of rapeseed, 147

Rapeseed, 147
Rehydration, of hides, 135
Repellent plants, 175
Rice, 49, 113, 205
Ripening, of plantain, 249
Rubber seed meal, 195

Salt effect, on fish, 223
Seed discolouration, of bell peppers, 85
Seed potatoes, 105
Sex pheromones, 175
Sillage, fish, 1
sisal fibre, 215
Solanum tuberosum, 105

Sorghum, 101
Sprouting
  of germinated sorghum, 101
  of yam tubers, 9, 229
Storage dormancy, of yam tubers, 9
Storage
  of bulk grain, 29
  of groundnuts, 65
  of potatoes, 175
  of yam tubers, 229
  of seed potatoes, 105
Sudan, 271
Sugars, in yam tubers, 9
Suspension drying, 135
Synergistic activity, of some higher plants, 23

Tea, 121, 159
Tephritidae, 261
Time-temperature tolerance, of frozen shrimp, 167
Trash fish (sardines), 1
Treculia africana Decne, 39
Tropics, 105
Tropical shrimp, 167
True protein digestibility, of African breadfruit seeds, 39
Tuber periderm, in yams, 239
Tuber exoderm, in yams, 239

Vegetables, in Bolivia, 91
Village-scale production, of leaf protein, 77

Water uptake, of rice, 49
White yams, 239
Withering, of black tea, 159

Yam flour, 239
Yam tubers, 9, 229

Zizyphus spina-christi, 271